

Aquahammer

The Greener Jackhammer Hose

Hammering through concrete is no joke. It's dangerous, and it exposes you to harmful dust and debris. Additionally, the governing bodies are constantly looking for ways to implement safer working conditions. The all-new Aquahammer is a twin-lined jackhammer hose engineered to lower dust and debris buildup and to be better for the environment as well.

TYPE	HOSE ID	WORKING PRESSURE	FITTING CONFIGURATIONS	COLOR
Air Hose	3/4"	200 psi	Universal Fitting	Blue/Green
Water Hose	3/8"	200 psi	Rigid Male 3/8" x 3/8" NPT	Blue/Green

OHSA Regulation Number: 29 CFR 1926. 1153 for Respirable Crystalline Silica

Copyright © 2018 ContiTech. All rights reserved. For complete information go to: www.contitech.de/disc1_en



ContiTech AquaHammer

Application: AquaHammer Dual Air/Water Jackhammer Factory Assemblies are crimped with high-quality universal couples and MNPT. Designed for silica dust suppression and to help contractors meet OHSA Respirable Crystalline Silica Standard.

Construction:

Tube: Black EPDM, ARPM Class C (Limited Oil Resistance)

Cover: Black EPDM, ARPM Class C (Limited Oil Resistance)

Reinforcement: Spiral Synthetic Yarn

Temperature Range: -40°F to 210°F (-40°C to 99°C)

Design Factor: 4:1


Branding: Continental ContiTech AquaHammer 200 PSI W.P MADE IN USA

Packaging: 50' Cut Coiled and Tied Assemblies

Couplings: Contact fitting manufacturer for proper fitting recommendation & coupling procedure.

Order Code: 569-690

SAP Number	COLOR	ID		OD		MAX WP		ASSEMBLY WEIGHT	
		in	mm	in	mm	psi	MPa	lb/ft	kg/m
21011268	Green	3/4	19.1	1.13	28.8	200	1.38	0.538	0.785
	Blue	3/8	9.6	0.657	16.7	200	1.38		






Aquahammer® Silica Dust Water Spray Retro-Fit Kit

THIS KIT CONTAINS

1	Y-Hose
1	Extension Hose
1	Shutoff Valve
1	Clamp
4	Zip Ties
2	Nozzle Tips



For California Residents:  WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

21011268-3/19